

TARIFS PIECES UNA WHEEL - MAXI - 2023

code article	Description	Image	Materiel	COULEUR	PRIX PUBLIC HT 2023	taux TVA 5,5%
UMX-1-00-00-00	Unit without adapter		-		1540	5,5%
UMX-1-00-00-01	Mudguard		PA GF	Black	11	5,5%
UMX-1-00-00-02	Upper traverse		AL 6061 / 2017	Black	44	5,5%
UMX-1-00-00-03	Middle traverse		AL 6061 / 2017	Black	66	5,5%
UMX-1-00-00-04	Bottom traverse		AL 6061 / 2017	Black	66	5,5%

UMX-1-00-00-05	Upper handlebar staple		AL 6061 / 2017	Black	22	5,5%
UMX-1-00-00-06	Bottom handlebar staple		AL 6061 / 2017	Black	24,2	5,5%
UMX-1-00-00-07	Brake sleeve		Stainless steel	Black	4,4	5,5%
UMX-1-00-00-08	Brake spacer		Stainless steel	Black	6,6	5,5%
UMX-1-00-00-10	Cable silent 12x25 for tube		Silicone	Black	2,2	5,5%
UMX-1-00-00-11	Tube silent ID=18mm OD=22mm		Silicone	Black	2,2	5,5%

UMX-1-00-00-12	Staple of bottom and middle traverse		AL 6061 / 2017	Black	26,4	5,5%
UMX-1-00-00-25	DIN 464 M6x16		A2-70	Black	2,2	
UMX-1-01-00-00	Wheel complete		-	-	330	5,5%
UMX-1-01-01-02	Wheel rim		-	-	250,8	5,5%
UMX-1-01-01-03	Tyre with tube		-	-	46,2	5,5%
UMX-1-01-02-00	Brake module		-	-	33	5,5%

UMX-1-02-01-00	Main Part of Controller		-	-	110	5,5%
UMX-1-03-01-00	Charger input		-	-	13,2	5,5%
UMX-1-03-00-01	Main part of box		PA GF	Black	19,8	5,5%
UMX-1-03-00-02	Charger input sealing		Silicone	Black	6,6	5,5%
UMX-1-03-00-04	Box cable enter		Silicone	Black	4,4	5,5%
UMX-1-03-00-08	Velcro 25x450 mm		Velcro	Black	13,2	5,5%

UMX-1-04S-00-00	Battery 8Ah		-	-	475,2	5,5%
UMX-1-04L-00-00	Battery 12.8Ah		-	-	726	5,5%
UMX-1-05-00-00	Headlight		-	-	44	5,5%
UMX-1-06-00-01	Tube cap		PA GF	Black	2,2	5,5%
UMX-1-06-00-02	Grips		Silicone	Black	6,6	5,5%
UMX-1-06-01-00	Frame of Handlebar		AL 6061 / 2017	Black	79,2	5,5%

UMX-1-06-02-00	Display		-	-	198	5,5%
UMX-1-06-03-00	Throttle		-	-	24,2	5,5%
UMX-1-06-04L-00	Brake handle Left with bell		-	-	30,8	5,5%
UMX-1-06-04R-00	Brake handle Right with bell		-	-	30,8	5,5%
UMX-1-12-00-00	Brake cord		-	-	6,6	5,5%
UMX-1-06-05-00	Reverse button		-	-	11	5,5%

UMX-1-07-00-01	Anker tube of foundation		Steel	Black	37,4	5,5%
UMX-1-07-00-02	Sleeve of tube		AL 6061 / 2017	Black	6,6	5,5%
UMX-1-07-00-08	Bearing sleeve		AL 6061 / 2017	Black	6,6	5,5%
UMX-1-07-00-09	Main sleeve		AL 6061 / 2017	Black	72,6	5,5%
UMX-1-07-00-10	Return mechanism upper sleeve		PA GF	Black	4,4	5,5%
UMX-1-07-00-11	Left Plate of Adapter Foundation		Stainless steel	Black	44	5,5%

UMX-1-07-00-12	Right Plate of Adapter Foundation		Stainless steel	Black	44	5,5%
UMX-1-07-00-14	Spring support		Stainless steel	Black	8,8	5,5%
UMX-1-07-00-15	Main hook spring		Stainless spring steel 1200 MPa yield point	-	4,4	5,5%
UMX-1-07-00-16	Support sleeve		AL 6061 / 2017	Black	4,4	5,5%
UMX-1-07-00-17	Support Axis		Steel	Zn+Black	4,4	5,5%
UMX-1-07-00-18	Support Spacer		PA GF	Black	2,2	5,5%

UMX-1-07-01-00	Bearing assembly Upper and Bottom		-	-	59,4	5,5%
UMX-1-07-02-01	Axis 8 mm		Stainless steel	Black	11	5,5%
UMX-1-07-02-02	Main Hook		Stainless steel	Black	13,2	5,5%
UMX-1-07-02-03	Handle		PA GF	Black	6,6	5,5%
UMX-1-07-02-04	Handle spring		Stainless spring steel 1200 MPa yield point	Black	4,4	5,5%
UMX-1-07-03-01	Upper hook		Stainless steel	-	8,8	5,5%

UMX-1-07-03-02	Upper hook spring		Stainless spring steel 1200 MPa yield point	Black	4,4	5,5%
UMX-1-07-03-03	Upper hook spring sleeve		PA GF	Black	4,4	5,5%
UMX-1-07-04-01	Support arm		AL 6061 / 2017	Black	57,2	5,5%
UMX-1-07-04-02	Support spring sleeve		AL 6061 / 2017	-	4,4	5,5%
UMX-1-07-04-03	Support spring		Stainless spring steel 1200 MPa yield point	Black	4,4	5,5%
UMX-1-07-04-04	Support cross arm		AL 6061 / 2017	Black	26,4	5,5%

UMX-1-07-04-05	Support wheel		-	-	11	5,5%
UMX-1-08-00-00	Left Tube		-	Black	30,8	5,5%
UMX-1-09-00-00	Right tube		-	Black	30,8	5,5%
UMX-1-10-00-00	Front Cap of Box		-	-	17,6	5,5%
UMX-1-11-00-01	Outer tube of return mechanism		PA GF	Black	6,6	5,5%
UMX-1-11-00-02	Spring cam		PA GF	Black	2,2	5,5%

UMX-1-11-00-03	Spring		Stainless spring steel 1200 MPa yield point	-	6,6	5,5%
UMX-1-11-00-04	Cap of inner shaft		PA GF	Black	2,2	5,5%
UMX-1-11-00-05	Buttom cap of return mechanism		PA GF	Black	2,2	5,5%
UMX-1-11-01-00	Inner shaft		-	-	35,2	5,5%
UMX-2-00-00-00	Adapter		-	-	495	5,5%
UMX-2-00-00-01	Front tube holder		AL 6061 / 2017	Black	41,8	5,5%

UMX-2-00-00-02	Rear tube holder		AL 6061 / 2017	Black	48,4	5,5%
UMX-2-00-00-03	Tube		Stainless steel	Black	57,2	5,5%
UMX-2-00-00-05	Tube end pin		PA GF	Black	2,2	5,5%
UMX-2-00-00-06	Adapter tube limiter		AL 6061 / 2017	Black	4,4	5,5%
UMX-2-00-01-00	Adapter staple assembly		-	-	244,2	5,5%
UMX-2-00-01-01	Staple		AL 6061 / 2017	Black	30,8	5,5%







UMX-2-00-01-02	10mm Rod		Stainless steel	-	19,8	5,5%
UMX-2-00-01-03	Cone		Stainless steel	Black	13,2	5,5%
UMX-2-00-01-04	Cone spacer		Stainless steel	-	8,8	5,5%
UMX-2-00-01-05	Cone spring D2 25 d1 12.2 s 1 H 1.8 !With slots!		Stainless spring steel 1200 MPa yield point	Black	6,6	5,5%
UMX-2-00-01-06	Adapter hook		AL 6061 / 2017	Black	13,2	5,5%
UMX-2-00-01-07	Adapter hook spring		Stainless spring steel 1200 MPa yield point	Black	4,4	5,5%


UMX-2-00-01-08	Hook limit Spring		Stainless spring steel 1200 MPa yield point	Black	6,6	5,5%
UMX-3R-00-00-00	Clamp Right		-	-	446,6	5,5%
UMX-3L-00-00-00	Clamp Left		-	-	446,6	5,5%
UMX-3-00-00-01	DIN2093 D2 28 d1 10.2 s 1.5 H 2.20		Stainless spring steel 1200 MPa yield point	-	2,2	5,5%
UMX-3-01-00-00	Wheelchair Clamp 31 mm		-	-	140,8	5,5%
UMX-3-01-00-01	Base of Wheelchair Clamp 31 mm		AL 6061 / 2017	Black	77	5,5%

UMX-3-01-00-02	Staple 31 mm		AL 6061 / 2017	Black	46,2	5,5%
UMX-3-01-00-03	Axis		Stainless steel	-	13,2	5,5%
UMX-3-02-00-00	Wheelchair Clamp 36 mm		-	-	145,2	5,5%
UMX-3-02-00-01	Base of Wheelchair Clamp 36 mm		AL 6061 / 2017	Black	79,2	5,5%
UMX-3-02-00-02	Staple 36 mm		AL 6061 / 2017	Black	46,2	5,5%

UMX-3-03R-00-00	Tube Clamp Right		-	-	158,4	5,5%
UMX-3-3L-00-00	Tube Clamp Left		-	-	158,4	5,5%
UMX-3-03-00-01	Base of Tube Clamp		AL 6061 / 2017	Black	77	5,5%
UMX-3-03-00-02	Staple of tube clamp		AL 6061 / 2017	Black	39,6	5,5%
UMX-3-03-00-03	Handle of Tube Clamp		PA GF	Black	11	5,5%
UMX-3-03-00-04	Screw of Handle		A2-70	Black	19,8	5,5%

UMX-3-03-00-05	Pin Of Handle		Stainless steel	Black	6,6	5,5%
UMX-3-03-00-06	Screw of Handle Left		A2-70	Black	19,8	5,5%
UMX-3-03-00-07	Washer of Handle		PA GF	Black	2,2	5,5%
UMX-3-03-00-08	Spring Of Screw		Stainless spring steel 1200 MPa yield point	Black	4,4	5,5%
UMX-4-00-00-00	Spacer set 2 sides		-	-	74,8	5,5%
UMX-4-00-00-01	36/32 Spacer		TPU	Black	4,4	5,5%

UMX-4-00-00-02	36/35 Spacer		TPU	Black	4,4	5,5%
UMX-4-00-00-03	Helium Spacer		TPU	Black	4,4	5,5%
UMX-4-00-00-04	Progeo Spacer		TPU	Black	4,4	5,5%
UMX-4-00-00-05	31/22 Spacer		Plastic	Black	4,4	5,5%
UMX-4-00-00-06	31/25 Spacer		Plastic	Black	4,4	5,5%
UMX-4-00-00-07	31/30 Spacer		TPU	Black	4,4	5,5%

UMX-4-00-01-00	31/19 Spacer		-	-	19,8	5,5%
UMX-5-01-00-00	Charger 2A				83,6	5,5%
UMX-5-02-00-00	EU cable				6,6	5,5%
UMX-5-03-00-00	USA cable				6,6	5,5%
UMX-5-04-00-00	AU cable				6,6	5,5%
UMX-5-05-00-00	UK cable				6,6	5,5%
UMX-5-06-00-00	Battery travel case				39,6	5,5%